



# Qualified Nozzles with Pressure Ranges (PSI)

| Manufacturer        | Nozzle Type | Size    | Pressure |     | Pressure Range (PSI) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|---------------------|-------------|---------|----------|-----|----------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|--|--|
|                     |             |         | Min      | Max | 10                   | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | 110 | 115 | 120 |  |  |
| ABJ Agri            | ABJ         | 110.04  | 40       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 110.06  | 40       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| AlbuZ               | AVI         | 110025  | 40       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11003   | 40       | 70  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11004   | 40       | 70  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11005   | 40       | 65  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11006   | 40       | 60  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| Greeneye Technology | <b>GEE</b>  | 25-03   | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| Greenleaf           | AM          | 11003   | 15       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11004   | 15       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11005   | 15       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11006   | 15       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | TADF        | 025     | 20       | 45  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 03      | 20       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 04      | 20       | 50  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 05      | 20       | 60  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 06      | 20       | 60  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 08      | 20       | 60  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | TDXL        | 11003   | 30       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11004   | 30       | 45  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11005   | 30       | 65  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 11006   | 30       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | TDXL-D      | 11002-D | 30       | 65  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 110025-D            |             | 30      | 70       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 11003-D             |             | 30      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 11004-D             |             | 30      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 11005-D             |             | 30      | 85       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 11006-D             |             | 30      | 100      |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 11008-D             |             | 30      | 80       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| <b>SD</b>           | 110-04      | 20      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | 110-05      | 20      | 85       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | 110-06      | 20      | 40       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | 110-08      | 20      | 80       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | 110-10      | 20      | 80       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| HyPro               | <b>TRD</b>  | 80-03   | 20       | 55  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 80-04   | 20       | 50  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 80-05   | 20       | 55  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 80-06   | 20       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | ULD         | 120-03  | 20       | 30  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 120-04  | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 120-05  | 20       | 70  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 120-06  | 20       | 65  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     |             | 120-08  | 20       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|                     | <b>ULDM</b> | 130-03  | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 130-04              |             | 30      | 80       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 130-05              |             | 30      | 100      |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 130-06              |             | 30      | 100      |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |

**For PWM Systems:**

- NOZZLE** Designed for use with PWM systems
- NOZZLE** Use with John Deere ExactApply™ system ONLY

**Coverage guide** (factor of type, size and/or pressure range):

- Provides best balance of coverage and drift control
- Provides additional drift control by creating larger droplets
- No classification

| Manufacturer | Nozzle Type        | Size    | Pressure |     | Pressure Range (PSI) |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|--------------|--------------------|---------|----------|-----|----------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|
|              |                    |         | Min      | Max | 10                   | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | 110 | 115 | 120 |
| John Deere   | PSTSL              | 6005-R4 | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 6006-R4 | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 8005-R4 | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 8006-R4 | 30       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | PSULD/<br>PSULDQ   | 2003    | 20       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2004    | 20       | 70  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2005    | 20       | 65  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2006    | 20       | 50  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2008    | 20       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | PSULDM/<br>PSULDMQ | 3003    | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 3004    | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 3005    | 30       | 100 |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 3006    | 30       | 100 |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 3008    | 30       | 100 |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | PSLDM/<br>PSLDMQ   | 2003    | 20       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2004    | 20       | 20  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2005    | 20       | 45  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2006    | 20       | 55  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 2008    | 20       | 60  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| 2010         |                    | 20      | 45       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| Lechler      | ID                 | 120-04  | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 120-05  | 20       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| TeeJet       | AI                 | 65-02E  | 30       | 70  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 65-025E | 30       | 70  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 65-03E  | 30       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 65-04E  | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 65-05E  | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 65-06E  | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 80-02   | 30       | 65  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 80-025  | 30       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 80-03   | 30       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 80-04   | 30       | 75  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 80-05   | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 80-06   | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 110-04  | 30       | 80  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-06             | 30      | 80       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-08             | 30      | 80       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | AITTJ60            | 110-03  | 20       | 25  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 110-04  | 20       | 35  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 110-05  | 20       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              |                    | 110-06  | 20       | 40  |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| 110-08       |                    | 20      | 55       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| 110-10       |                    | 20      | 55       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| 110-15       |                    | 20      | 45       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| AIXR         | 110-03             | 15      | 30       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-04             | 15      | 60       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-05             | 15      | 60       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-06             | 15      | 60       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-08             | 15      | 70       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-10             | 15      | 75       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
| APTJ         | 110-02             | 20      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-025            | 20      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-03             | 20      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-04             | 20      | 85       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-05             | 20      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-06             | 20      | 90       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |
|              | 110-08             | 20      | 85       |     |                      |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |     |     |     |

**For PWM Systems:**

- NOZZLE Designed for use with PWM systems
- NOZZLE Use with John Deere ExactApply™ system ONLY

**Coverage guide** (factor of type, size and/or pressure range):

- Provides best balance of coverage and drift control
- Provides additional drift control by creating larger droplets
- No classification

| Manufacturer | Nozzle Type | Size    | Pressure |                             | Pressure Range (PSI)        |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|--------------|-------------|---------|----------|-----------------------------|-----------------------------|---------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|
|              |             |         | Min      | Max                         | 10                          | 15                        | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| TeeJet       | TTI         | 110-02  | 15       | 65                          | [Yellow bar from 15 to 65]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-025 | 15       | 70                          | [Yellow bar from 15 to 70]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-03  | 15       | 65                          | [Yellow bar from 15 to 65]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-04  | 15       | 85                          | [Yellow bar from 15 to 85]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-05  | 15       | 65                          | [Yellow bar from 15 to 65]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-06  | 15       | 55                          | [Yellow bar from 15 to 55]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-08  | 15       | 55                          | [Yellow bar from 15 to 55]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-10  | 15       | 55                          | [Yellow bar from 15 to 55]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | TTI60       | 11003   | 15       | 65                          | [Yellow bar from 15 to 65]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 11004   | 15       | 60                          | [Yellow bar from 15 to 60]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 11005   | 15       | 55                          | [Yellow bar from 15 to 55]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 11006   | 15       | 50                          | [Yellow bar from 15 to 50]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 11008   | 15       | 50                          | [Yellow bar from 15 to 50]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 11008   | 15       | 50                          | [Yellow bar from 15 to 50]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| Wilger       | DR          | 110-03  | 30       | 50                          | [Yellow bar from 30 to 50]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-04  | 30       | 50                          | [Yellow bar from 30 to 50]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-05  | 30       | 70                          | [Yellow bar from 30 to 70]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-06  | 30       | 70                          | [Yellow bar from 30 to 70]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-08  | 30       | 60                          | [Yellow bar from 30 to 60]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-10  | 30       | 100                         | [Yellow bar from 30 to 100] |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-125 | 30       | 100                         | [Yellow bar from 30 to 100] |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-125 | 30       | 100                         | [Yellow bar from 30 to 100] |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | DX          | 40-08   | 20       | 70                          | [Green bar from 20 to 70]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 40-08   | 20       | 70                          | [Green bar from 20 to 70]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | MR          | 80-04   | 25       | 35                          | [Green bar from 25 to 35]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 80-05   | 25       | 45                          | [Green bar from 25 to 45]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 80-06   | 25       | 70                          | [Green bar from 25 to 70]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 80-08   | 25       | 70                          | [Green bar from 25 to 70]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 80-10   | 25       | 70                          | [Green bar from 25 to 70]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 80-125  | 25       | 70                          | [Yellow bar from 25 to 70]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-04  | 25       | 35                          | [Green bar from 25 to 35]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-05  | 25       | 35                          | [Green bar from 25 to 35]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-06  | 25       | 60                          | [Green bar from 25 to 60]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-08  | 25       | 60                          | [Green bar from 25 to 60]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-10  | 25       | 50                          | [Green bar from 25 to 50]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-125 | 25       | 70                          | [Green bar from 25 to 70]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | SR      | 80-06    | 25                          | 25                          | [Green bar from 25 to 25] |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             |         | 80-08    | 25                          | 55                          | [Green bar from 25 to 55] |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | 80-10       |         | 25       | 60                          | [Green bar from 25 to 60]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | 80-125      |         | 25       | 60                          | [Green bar from 25 to 60]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | 80-125      |         | 25       | 60                          | [Green bar from 25 to 60]   |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              | UR          | 110-03  | 30       | 90                          | [Yellow bar from 30 to 90]  |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-04  | 30       | 100                         | [Yellow bar from 30 to 100] |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
|              |             | 110-05  | 30       | 100                         | [Yellow bar from 30 to 100] |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| 110-06       |             | 30      | 100      | [Yellow bar from 30 to 100] |                             |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| 110-08       |             | 30      | 90       | [Yellow bar from 30 to 90]  |                             |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| 110-10       |             | 30      | 100      | [Yellow bar from 30 to 100] |                             |                           |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |

All qualified nozzle and pressure combinations for Enlist® herbicides are listed on [Enlist.com/nozzles](https://www.enlist.com/nozzles)



Information here is general guidance and not an endorsement or recommendation from Corteva Agriscience. Consult nozzle manufacturer or your advisor on nozzle and pressure selection. Minimum pressures are not recommended to achieve optimal coverage for weed control.



Visit us at [Enlist.com](https://www.enlist.com)

©Trademarks of Corteva Agriscience and its affiliated companies. Enlist Duo® herbicide is not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist One herbicide is the only 2,4-D product authorized for use in Enlist crops. Always read and follow label directions. ExactApply is a trademark of Deere & Co. ©2024 Corteva. 013707-2 COR (09/24)

