



COLEX-D® technology

HERBICIDE

## Qualified Nozzles with Pressure Ranges (PSI)

Manufacturer	Nozzle Type	Size	Pressure		Pressure Range (PSI)																							
			Min	Max	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	
ABJ Agri	ABJ	110.04	20	30																								
		110.06	20	35																								
AlbuZ	AVI	110025	40	60																								
		11003	40	80																								
		11004	40	90																								
		11005	40	90																								
		11006	40	90																								
Greenleaf	AM	11003	15	30																								
		11004	15	35																								
		11005	15	40																								
		11006	15	35																								
	TADF	08	30	60																								
	TADF-D	025-D	30	90																								
		03-D	30	90																								
		04-D	30	90																								
		05-D	30	90																								
		06-D	30	90																								
	TDXL	11003	30	80																								
		11004	30	80																								
		11005	30	85																								
		11006	30	90																								
11008		30	90																									
TDXL-D	11002-D	30	90																									
	110025-D	30	80																									
	11003-D	30	70																									
	11004-D	30	90																									
	11006-D	30	90																									
	11008-D	30	100																									
SD	110-04	20	90																									
	110-05	20	85																									
	110-06	20	40																									
	110-08	20	80																									
	110-10	20	80																									
HyPro	ULD	120-03	20	30																								
		120-04	20	80																								
		120-05	20	70																								
		120-06	20	65																								
		120-08	20	40																								
	ULDM	130-03	30	85																								
		130-04	30	90																								
		130-05	30	85																								
		130-06	30	85																								
		130-08	30	85																								
John Deere	PSTSL	8006-R4	30	80																								
	PSULD/PSULDQ	2003	20	30																								
		2004	20	80																								
		2005	20	70																								
		2006	20	65																								
		2008	20	40																								

**For PWM Systems:**

- NOZZLE Designed for use with PWM systems
- NOZZLE Use with John Deere ExactApply™ system ONLY

**Coverage guide** (factor of type, size and/or pressure range):

- Provides best balance of coverage and drift control
- Provides additional drift control by creating larger droplets
- No classification

Manufacturer	Nozzle Type	Size	Pressure		Pressure Range (PSI)																							
			Min	Max	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	
John Deere	PSULDM/ PSULDMQ	3003	30	85																								
		3004	30	90																								
		3005	30	85																								
		3006	30	85																								
		3008	30	85																								
John Deere	PSLDM/ PSLDMQ	2006	20	60																								
		2008	20	60																								
		2010	20	50																								
Lechler	ID	120-03	20	60																								
		120-04	20	80																								
		120-05	20	80																								
TeeJet	AI	65-02E	30	80																								
		65-025E	30	80																								
		65-03E	30	80																								
		65-04E	30	80																								
		65-05E	30	80																								
		65-06E	30	80																								
		80-02	30	75																								
		80-025	30	80																								
		80-03	30	80																								
		80-04	30	80																								
		80-05	30	80																								
		80-06	30	80																								
		110-02	30	80																								
	110-025	30	80																									
	110-03	30	80																									
	110-04	30	80																									
	110-05	30	80																									
	110-06	30	80																									
	110-08	30	80																									
	TeeJet	AITTJ60	110-03VP	20	25																							
110-04VP			20	50																								
110-05VP			20	50																								
110-06VP			20	60																								
110-08VP			20	60																								
110-10VP			20	65																								
110-15VP			20	55																								
TeeJet	AIXR	110-03	15	30																								
		110-04	15	60																								
		110-05	15	60																								
		110-06	15	60																								
		110-08	15	70																								
		110-10	15	75																								
TeeJet	APTJ	110-02	20	90																								
		110-025	20	90																								
		110-03	20	90																								
		110-04	20	90																								
		110-05	20	90																								
		110-06	20	90																								
		110-08	20	90																								
TeeJet	TTI	110-02	15	80																								
		110-025	15	80																								
		110-03	15	80																								
		110-04	15	80																								
		110-05	15	80																								
		110-06	15	80																								
		110-08	15	65																								
		110-10	15	65																								

**For PWM Systems:**

- NOZZLE Designed for use with PWM systems
- NOZZLE Use with John Deere ExactApply™ system ONLY

**Coverage guide** (factor of type, size and/or pressure range):

- Provides best balance of coverage and drift control
- Provides additional drift control by creating larger droplets
- No classification

Manufacturer	Nozzle Type	Size	Pressure		Pressure Range (PSI)																			
			Min	Max	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105
TeeJet	TTJ60	110-03	15	70	[Yellow bar from 15 to 70]																			
		110-04	15	75	[Yellow bar from 15 to 75]																			
		110-05	15	65	[Yellow bar from 15 to 65]																			
		110-06	15	65	[Yellow bar from 15 to 65]																			
		110-08	15	70	[Yellow bar from 15 to 70]																			
Wilger	MR	110-04	25	30	[Green bar from 25 to 30]																			
		110-05	25	35	[Green bar from 25 to 35]																			
		110-06	25	60	[Green bar from 25 to 60]																			
		110-08	25	70	[Green bar from 25 to 70]																			
		110-10	25	70	[Green bar from 25 to 70]																			
		110-125	25	70	[Green bar from 25 to 70]																			
	DR	110-03	30	50	[Yellow bar from 30 to 50]																			
		110-04	30	50	[Yellow bar from 30 to 50]																			
		110-05	30	70	[Yellow bar from 30 to 70]																			
		110-06	30	80	[Yellow bar from 30 to 80]																			
		110-08	30	70	[Yellow bar from 30 to 70]																			
		110-10	30	120	[Yellow bar from 30 to 120]																			
		110-125	30	120	[Yellow bar from 30 to 120]																			
	UR	110-03	30	90	[Yellow bar from 30 to 90]																			
		110-04	30	100	[Yellow bar from 30 to 100]																			
110-05		30	100	[Yellow bar from 30 to 100]																				
110-06		30	110	[Yellow bar from 30 to 110]																				
110-08		30	90	[Yellow bar from 30 to 90]																				
110-10		30	100	[Yellow bar from 30 to 100]																				

All qualified nozzle and pressure combinations for Enlist® herbicides are listed on [Enlist.com/nozzles](https://www.enlist.com/nozzles)



Information here is general guidance and not an endorsement or recommendation from Corteva AgriScience. Consult nozzle manufacturer or your advisor on nozzle and pressure selection. Minimum pressures are not recommended to achieve optimal coverage for weed control.



Visit us at [Enlist.com](https://www.enlist.com)

®Trademarks of Corteva Agriscience and its affiliated companies. Enlist One® herbicide is not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist One herbicide is the only 2,4-D product authorized for use in Enlist crops. Always read and follow label directions. ExactApply is a trademark of Deere & Co. ©2023 Corteva. 013707-1 COR (07/23)

