



COLEX-D® technology

HERBICIDE

Qualified Nozzles with Pressure Ranges (PSI)

Manufacturer	Nozzle Type	Size	Pressure		Pressure Range (PSI)																						
			Min	Max	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
ABJ Agri	ABJ	110.04	20	30																							
		110.06	20	35																							
AlbuZ	AVI	110025	40	60																							
		11003	40	80																							
		11004	40	90																							
		11005	40	90																							
		11006	40	90																							
Greeneye Technology	GEE	25-03	20	80																							
Greenleaf	AM	11003	15	30																							
		11004	15	35																							
		11005	15	40																							
		11006	15	35																							
	TADF	08	30	60																							
	TADF-D	025-D	30	90																							
		03-D	30	90																							
		04-D	30	90																							
		05-D	30	90																							
		06-D	30	90																							
	TDXL	11003	30	80																							
		11004	30	80																							
		11005	30	85																							
		11006	30	90																							
		11008	30	90																							
TDXL-D	11002-D	30	90																								
	110025-D	30	80																								
	11003-D	30	70																								
	11004-D	30	90																								
	11006-D	30	90																								
	11008-D	30	100																								
SD	110-04	20	90																								
	110-05	20	85																								
	110-06	20	40																								
	110-08	20	80																								
	110-10	20	80																								
HyPro	TRD	80-03	20	55																							
		80-04	20	50																							
		80-05	20	60																							
		80-06	20	75																							
	ULD	120-03	20	30																							
		120-04	20	80																							
		120-05	20	70																							
		120-06	20	65																							
		120-08	20	40																							
		ULDM	130-03	30	85																						
130-04	30		90																								
130-05	30		85																								
130-06	30		85																								
130-08	30		85																								

For PWM Systems:

- NOZZLE** Designed for use with PWM systems
- NOZZLE** Use with John Deere ExactApply™ system ONLY

Coverage guide (factor of type, size and/or pressure range):

- Provides best balance of coverage and drift control
- Provides additional drift control by creating larger droplets
- No classification

Manufacturer	Nozzle Type	Size	Pressure		Pressure Range (PSI)																						
			Min	Max	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
John Deere	PSTSL	6005-R4	20	80																							
		6006-R4	20	80																							
		8005-R4	20	80																							
		8006-R4	30	80																							
	PSULD/ PSULDQ	2003	20	30																							
		2004	20	80																							
		2005	20	70																							
		2006	20	65																							
		2008	20	40																							
	PSULDM/ PSULDMQ	3003	30	85																							
		3004	30	90																							
		3005	30	85																							
		3006	30	85																							
		3008	30	85																							
	PSLDM/ PSLDMQ	2003	20	35																							
2005		20	50																								
2006		20	60																								
2008		20	60																								
2010		20	50																								
Lechler	ID	120-03	20	60																							
		120-04	20	80																							
		120-05	20	80																							
TeeJet	AI	65-02E	30	80																							
		65-025E	30	80																							
		65-03E	30	80																							
		65-04E	30	80																							
		65-05E	30	80																							
		65-06E	30	80																							
		80-02	30	75																							
		80-025	30	80																							
		80-03	30	80																							
		80-04	30	80																							
		80-05	30	80																							
		80-06	30	80																							
		110-02	30	80																							
		110-025	30	80																							
		110-03	30	80																							
	110-04	30	80																								
	110-05	30	80																								
	110-06	30	80																								
	110-08	30	80																								
	AITTJ60	110-03	20	25																							
		110-04	20	50																							
		110-05	20	50																							
		110-06	20	60																							
		110-08	20	60																							
		110-10	20	65																							
	AIXR	110-15	20	55																							
		110-03	15	30																							
110-04		15	60																								
110-05		15	60																								
110-06		15	60																								
APTJ	110-08	15	70																								
	110-10	15	75																								
	110-02	20	90																								
	110-025	20	90																								
	110-03	20	90																								
	110-04	20	90																								

For PWM Systems:

- NOZZLE** Designed for use with PWM systems
- NOZZLE** Use with John Deere ExactApply™ system ONLY

Coverage guide (factor of type, size and/or pressure range):

- Provides best balance of coverage and drift control
- Provides additional drift control by creating larger droplets
- No classification

Manufacturer	Nozzle Type	Size	Pressure		Pressure Range (PSI)																			
			Min	Max	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105
TeeJet	TTI	110-02	15	80	[Yellow bar from 15 to 80]																			
		110-025	15	80	[Yellow bar from 15 to 80]																			
		110-03	15	80	[Yellow bar from 15 to 80]																			
		110-04	15	80	[Yellow bar from 15 to 80]																			
		110-05	15	80	[Yellow bar from 15 to 80]																			
		110-06	15	80	[Yellow bar from 15 to 80]																			
		110-08	15	65	[Yellow bar from 15 to 65]																			
		110-10	15	65	[Yellow bar from 15 to 65]																			
TeeJet	TTI60	110-03	15	70	[Yellow bar from 15 to 70]																			
		110-04	15	75	[Yellow bar from 15 to 75]																			
		110-05	15	65	[Yellow bar from 15 to 65]																			
		110-06	15	65	[Yellow bar from 15 to 65]																			
		110-08	15	70	[Yellow bar from 15 to 70]																			
Wilger	DR	110-03	30	50	[Yellow bar from 30 to 50]																			
		110-04	30	50	[Yellow bar from 30 to 50]																			
		110-05	30	70	[Yellow bar from 30 to 70]																			
		110-06	30	80	[Yellow bar from 30 to 80]																			
		110-08	30	70	[Yellow bar from 30 to 70]																			
		110-10	30	120	[Yellow bar from 30 to 120]																			
		110-125	30	120	[Yellow bar from 30 to 120]																			
		110-125	30	120	[Yellow bar from 30 to 120]																			
	DX	DX	40-08	20	70	[Yellow bar from 20 to 70]																		
	MR	MR	80-04	25	40	[Green bar from 25 to 40]																		
			80-05	25	45	[Green bar from 25 to 45]																		
			80-06	25	70	[Green bar from 25 to 70]																		
			80-08	25	70	[Green bar from 25 to 70]																		
			80-10	25	70	[Green bar from 25 to 70]																		
			80-125	25	70	[Yellow bar from 25 to 70]																		
			110-04	25	30	[Green bar from 25 to 30]																		
			110-05	25	35	[Green bar from 25 to 35]																		
			110-06	25	60	[Green bar from 25 to 60]																		
			110-08	25	70	[Green bar from 25 to 70]																		
			110-10	25	70	[Green bar from 25 to 70]																		
			110-125	25	70	[Green bar from 25 to 70]																		
	SR	SR	80-06	25	25	[Green bar from 25 to 25]																		
			80-08	25	60	[Green bar from 25 to 60]																		
			80-10	25	60	[Green bar from 25 to 60]																		
			80-125	25	60	[Green bar from 25 to 60]																		
	UR	UR	110-03	30	90	[Yellow bar from 30 to 90]																		
			110-04	30	100	[Yellow bar from 30 to 100]																		
			110-05	30	100	[Yellow bar from 30 to 100]																		
110-06			30	110	[Yellow bar from 30 to 110]																			
110-08			30	90	[Yellow bar from 30 to 90]																			
110-10			30	100	[Yellow bar from 30 to 100]																			

All qualified nozzle and pressure combinations for Enlist® herbicides are listed on [Enlist.com/nozzles](https://www.enlist.com/nozzles)



Information here is general guidance and not an endorsement or recommendation from Corteva Agriscience. Consult nozzle manufacturer or your advisor on nozzle and pressure selection. Minimum pressures are not recommended to achieve optimal coverage for weed control.



Visit us at [Enlist.com](https://www.enlist.com)

©Trademarks of Corteva Agriscience and its affiliated companies. Enlist One® herbicide is not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist One herbicide is the only 2,4-D product authorized for use in Enlist crops. Always read and follow label directions. ExactApply is a trademark of Deere & Co. ©2024 Corteva. 013707-1 COR (09/24)

